ELSEVIER

Virus Research 37 (1995) 317–319

Virus Research

Author Index

Adams, M.J., see Jacobi, V. (37) 99
Andersen, K.B.
Characterization of retrovirus-induced SC-1 cell fusion (37) 177
Antoniw, J.F., see Jacobi, V. (37) 99
Ashley, C.R., see Green, S.M. (37) 271

Bárcena, J., see Ochoa, M. (37) 305
Bianchi, S., see Cusi, M.G. (37) 199
Brocchi, E., see Capucci, L. (37) 221
Bucci, M., see Degener, A.M. (37) 291

Cai, F., see Keyvani-Amineh, H. (37) 87
Capucci, L., Frigoli, G., Rønshold, L., Lavazza, A., Brocchi, E. and Rossi, C.
Antigenicity of the rabbit hemorrhagic disease virus studied by its reactivity with monoclonal antibodies (37) 221
Carstens, E.B., see Keyvani-Amineh, H. (37) 87
Cassetti, C., see Degener, A.M. (37) 291
Caul, E.O., see Green, S.M. (37) 271
Cervera, M.T., see Martin, M.T. (37) 127
Chang, Y.-S., see Chen, M.-L. (37) 75
Chen, C.-C., see Hsu, Y.-L. (37) 239
Chen, M.-L., Wu, R.-C., Liu, S.-T. and Chang, Y.-S.
Characterization of 5′-upstream sequence of the latent membrane protein 1 (LMP-1) gene of an Epstein–Barr virus identified in nasopharyngeal carcinoma tissues (37) 75
Clarke, I.N., see Green, S.M. (37) 271
Coelingh, K., see Li, S. (37) 153
Crabb, B.S., see Huemer, H.P. (37) 113
Cusi, M.G., Valassina, M., Bianchi, S., Wunner, W. and Valensin, P.E.
Evaluation of rubella virus E2 and C proteins in protection against rubella virus in a mouse model (37) 199

Degener, A.M., Silveira Carneiro, J., Cassetti, C., Pierangeli, A., Pagnotti, P., Bucci, M. and Perez Bercoff, R.
Role of the pyrimidine-rich tract on the translation of 'chimeric' polio–hepatitis A mRNAs with engineered 5′-terminal untranslated regions (37) 291
De la Luna, S., see Ochoa, M. (37) 305
Derbyshire, J.B., see Tuboly, T. (37) 49
Diallo, A., see Meyer, G. (37) 23
Douglas, A.R., see Ochoa, M. (37) 305
Drillien, R., see Zajac, P. (37) 163
Dulac, G.C., see Seal, B.S. (37) 1

Frigoli, G., see Capucci, L. (37) 221

Garcia, J.A., see Martin, M.T. (37) 127
García-Sastre, A. and Palese, P.
The cytoplasmic tail of the neuraminidase protein of influenza A virus does not play an important role in the packaging of this protein into viral envelopes (37) 37
Geerse, L., see Vandebriel, R.J. (37) 13
Gombart, A.F., Hirano, A. and Wong, T.C.
Nucleoprotein phosphorylated on both serine and threonine is preferentially assembled into the nucleocapsids of measles virus (37) 63
Green, S.M., Lambden, P.R., Caul, E.O., Ashley, C.R. and Clarke, I.N.
Capsid diversity in small round-structured viruses: molecular characterization of an antigenically distinct human enteric calicivirus (37) 271

Haarr, L., see Skulstad, S. (37) 253
Hirano, A., see Gombart, A.F. (37) 63

Hsu, Y.-L., Chen, C.-C. and Wu, J.-L.
Molecular relationships in infectious pancreatic necrosis virus (37) 239
Hübert, P.H., see Huemer, H.P. (37) 113
Huemer, H.P., Nowotny, N., Crabb, B.S., Meyer, H. and Hübert, P.H.
gp13 (EHV-gC): a complement receptor induced by equine herpesviruses (37) 113

Isegawa, Y., see Mukai, T. (37) 55

Jacobi, V., Peerenboom, E., Schenk, P.M., Antoniw, J.F., Steinbiss, H.-H. and Adams, M.J.
Cloning and sequence analysis of RNA-2 of a mechanically transmitted UK isolate of barley mild mosaic bymovirus (BaMMV) (37) 99
Jakobsen, K., see Skulstad, S. (37) 253

Keyvani-Amineh, H., Labrecque, P., Cai, F., Carstens, E.B. and Weber, J.M.
Adenovirus protease expressed in insect cells cleaves adenovirus proteins, ovalbumin and baculovirus protease in the absence of activating peptide (37) 87
Koyama, A.H.
Induction of apoptotic DNA fragmentation by the infection of vesicular stomatitis virus (37) 285
Kreutz, L.C., see Seal, B.S. (37) 1
Krul, M.R.L., see Vandebriel, R.J. (37) 13

Labrecque, P., see Keyvani-Amineh, H. (37) 87
Lagging, L.M., see Ray, R.B. (37) 209
Lambden, P.R., see Green, S.M. (37) 271
Langeland, N., see Skulstad, S. (37) 253
Lavazza, A., see Capucci, L. (37) 221
Li, S., Xu, M. and Coelingh, K.
Electroporation of influenza virus ribonucleoprotein complexes for rescue of the nucleoprotein and matrix genes (37) 153
Liu, S.-T., see Chen, M.-L. (37) 75
Lutze-Wallace, C., see Seal, B.S. (37) 1

Martin, M.T., Cervera, M.T. and Garcia, J.A.
Properties of the active plum pox potyvirus RNA polymerase complex in defined glycerol gradient fractions (37) 127
Melero, J.A., see Ochoa, M. (37) 305
Meyer, G. and Diallo, A.
The nucleotide sequence of the fusion protein gene of the peste des petits ruminants virus: the long untranslated region in the 5′-end of the F-protein gene of morbiliviruses seems to be specific to each virus (37) 23
Meyer, H., see Huemer, H.P. (37) 113
Meyer, K., see Ray, R.B. (37) 209
Mukai, T., Isegawa, Y. and Yamanishi, K.
Identification of the major capsid protein gene of human herpesvirus 7 (37) 55

Nagy, É., see Tuboly, T. (37) 49
Nakao, Y., see Yokoyama, M. (37) 139
Neill, J.D., see Seal, B.S. (37) 1
Nieto, A., see Ochoa, M. (37) 305
Nowotny, N., see Huemer, H.P. (37) 113

Ochoa, M., Bárcena, J., de la Luna, S., Melero, J.A., Douglas, A.R., Nieto, A., Ortín, J., Skehel, J.J. and Portela, A.
Epitope mapping of cross-reactive monoclonal antibodies specific for the influenza A virus PA and PB2 polypeptides (37) 305
Ortín, J., see Ochoa, M. (37) 305

Pagnotti, P., see Degener, A.M. (37) 291
Palese, P., see García-Sastre, A. (37) 37
Pater, A., see Yokoyama, M. (37) 139
Pater, M.M., see Yokoyama, M. (37) 139
Peerenboom, E., see Jacobi, V. (37) 99
Perez Bercoff, R., see Degener, A.M. (37) 291
Pierangeli, A., see Degener, A.M. (37) 291
Portela, A., see Ochoa, M. (37) 305

Ray, R., see Ray, R.B. (37) 209
Ray, R.B., Lagging, L.M., Meyer, K., Steele, R. and Ray, R.
Transcriptional regulation of cellular and viral promoters by the hepatitis C virus core protein (37) 209
Reddy, P.S., see Tuboly, T. (37) 49
Rødahl, E., see Skulstad, S. (37) 253
Rønshold, L., see Capucci, L. (37) 221
Rossi, C., see Capucci, L. (37) 221

Sapp, T., see Seal, B.S. (37) 1
Schenk, P.M., see Jacobi, V. (37) 99
Seal, B.S., Lutze-Wallace, C., Kreutz, L.C., Sapp, T., Dulac, G.C. and Neill, J.D.
Isolation of caliciviruses from skunks that are antigenically and genotypically related to San Miguel sea lion virus (37) 1
Silveira Carneiro, J., see Degener, A.M. (37) 291
Skehel, J.J., see Ochoa, M. (37) 305
Skulstad, S., Rødahl, E., Jakobsen, K., Langeland, N. and Haarr, L.

Labeling of surface proteins of herpes simplex virus type 1 using a modified biotin–streptavidin system (37) 253
Spehner, D., see Zajac, P. (37) 163
Steele, R., see Ray, R.B. (37) 209
Steerenberg, P.A., see Vandebriel, R.J. (37) 13
Steinbiss, H.-H., see Jacobi, V. (37) 99
Sun, Q., see Yokoyama, M. (37) 139

Tsutsumi, K., see Yokoyama, M. (37) 139
Tuboly, T., Reddy, P.S., Nagy, É. and Derbyshire, J.B.
Restriction endonuclease analysis and physical mapping of the genome of porcine adenovirus type 5 (37) 49

Valassina, M., see Cusi, M.G. (37) 199
Valensin, P.E., see Cusi, M.G. (37) 199
Vandebriel, R.J., Van der Kolk, M., Geerse, L., Steerenberg, P.A. and Krul, M.R.L.
A helper T-cell epitope of the E7 protein of human papillomavirus type 16 in BALB/c mice (37) 13
Van der Kolk, M., see Vandebriel, R.J. (37) 13

Weber, J.M., see Keyvani-Amineh, H. (37) 87
Wong, T.C., see Gombart, A.F. (37) 63
Wu, J.-L., see Hsu, Y.-L. (37) 239
Wu, R.-C., see Chen, M.-L. (37) 75
Wunner, W., see Cusi, M.G. (37) 199

Xu, M., see Li, S. (37) 153

Yamanishi, K., see Mukai, T. (37) 55
Yang, X., see Yokoyama, M. (37) 139
Yokoyama, M., Nakao, Y., Yang, X., Sun, Q., Tsutsumi, K., Pater, A. and Pater, M.M.
Alterations in physical state and expression of human papillomavirus type 18 DNA following crisis and establishment of immortalized ectocervical cells (37) 139

Zajac, P., Spehner, D. and Drillien, R.
The vaccinia virus J5L open reading frame encodes a polypeptide expressed late during infection and required for viral multiplication (37) 163

ELSEVIER

Virus Research 37 (1995) 321–322

Virus Research

Subject Index

Adenovirus protease, (37) 87
Antigenic typing, (37) 271
Antigenic variation, (37) 305
Apoptosis, (37) 285

Baculovirus protease, (37) 87
BALB/c mice, (37) 13
Barley mild mosaic virus (BaMMV), (37) 99
Biotin–Streptavidin system, (37) 253
Bymoviruses, (37) 99

Calicivirus, (37) 1, (37) 271
Calicivirus structure, (37) 221
Capsid variation, (37) 271
Cell death, (37) 285
Cellular promoter, (37) 209
Chimeric mRNA, (37) 291
Complement receptor, (37) 113
Core protein, (37) 209
C protein, (37) 199
Cysteine, (37) 87
Cytochalasin, (37) 177

Direct double-stranded nucleotide sequencing, (37) 1
DNA fragmentation, (37) 285
cDNA sequencing, (37) 271

E7 gene, (37) 13
Electroporation, (37) 153
Episomal DNA, (37) 139
E2 protein, (37) 199
Epstein–Barr virus (EBV), (37) 75
Equine herpesvirus (EHV), (37) 113

Fibronectin, (37) 177
Fungus transmission, (37) 99
Fusion gene, (37) 163
Fusion protein, (37) 23

Gene expression, (37) 139
Glycoprotein, (37) 113
gp13, (37) 113

Helper T-cell epitope, (37) 13
Heparin, (37) 113
Hepatitis A, (37) 291
Hepatitis C virus, (37) 209
Herpes simplex virus type 1, (37) 253
Human cytomegalovirus, (37) 55
Human herpesvirus 7, (37) 55
Human papillomavirus, (37) 139
Human papilloma virus, type 16, (37) 13
Hyaluronidase, (37) 177

Infectious pancreatic necrosis virus, (37) 239
Influenza virus, (37) 37, (37) 153, (37) 305
Integrated DNA, (37) 139
Internal translation, (37) 291
J5L, (37) 163

Latent membrane protein 1 (LMP-1), (37) 75

Major capsid protein gene, (37) 55
Matrix gene, (37) 153
Measles virus, (37) 63
Molecular relationship, (37) 239
Monoclonal antibody, (37) 221, (37) 305
Morbillivirus, (37) 23
Mouse model, (37) 199
Murine Leukemia Virus (MLV), (37) 177
Mutation characteristic, (37) 239

Nasopharyngeal carcinoma, (37) 75
Negative-stranded RNA virus, (37) 63

Neuraminidase, (37) 177
Nucleocapsid, (37) 63
Nucleoprotein, (37) 63
Nucleoprotein gene, (37) 153
Nucleotide sequence, (37) 99

Open reading frame, (37) 163

Peste des petits ruminants virus, (37) 23
Phosphorylation, (37) 63
Physical mapping, (37) 49
Plant virus, (37) 127
Poliovirus, (37) 291
Polycation, (37) 177
Polymerase, (37) 305
Porcine adenovirus, (37) 49
Positive strand RNA virus, (37) 1
Potyvirus, (37) 127
Promoter, (37) 75
Protease, (37) 87
Pyrimidine-rich sequence, (37) 291

Rabbit hemorrhagic disease virus (RHDV), (37) 221
Replication, (37) 127
Restriction endonuclease, (37) 49
Retrovirus, (37) 177
Reverse genetics, (37) 37, (37) 153
Reverse transcription PCR, (37) 1
Ribonucleoprotein complex, (37) 153
RNA-2 deletion, (37) 99
RNA fingerprinting, (37) 239
Rubella virus, (37) 199

SC-1 cell, (37) 177
Splicing, (37) 139
Subcellular membrane, (37) 127
Surface protein, (37) 253

Transcriptional regulation, (37) 209

Vaccine, (37) 199
Vaccinia virus, (37) 163
Vesicular stomatitis virus, (37) 285
Viral promoter, (37) 209
Virus budding, (37) 37
Virus-induced cell fusion, (37) 177
Virus neutralization, (37) 221
Virus packaging, (37) 37

Western blot, (37) 1